Ilene A. Cassola Házardous Waste & Sanital Landfill Advisory Committee 12 Wellspring Drive Cranston, RI 02920

APR 17 1981

with a response

B. 5-19-81 response needed

Hackler

April 13, 1981

Superfund Records Center SITE: Causton Sauctan

Transfer Comments of Mariana Species

APR 1 6 1981

REGION I OFFICE OF THE REGIONAL ADVISEST TOP.

Ms. Leslie Carothers
Acting Regional Administrator
EPA

2203 JFK Féderal Building Boston, MA 02203

Dear Ms. Carothers:

DMS DocID 584023

In behalf of the Cranston City Council's Advisory Committee to Monitor Hazardous Waste and Sanitary Landfill Conditions, I am asking that the EPA perform an evaluation of the Capuano Hazardous Waste Site in Cranston.

We believe this evaluation is imperative to reassure the 20,000 people living within two miles of the site and the hundreds of people living adjacent to the site that their health is not presently in danger.

We understand that the state of vegetation in the area is an indication of whether or not toxins are abroad either in the ground-water or the air. We, therefore, request that an Infra-Red Fly-Over be conducted as a part of this evaluation.

Our committee is prepared to help you, in whatever way we can, to make sure this evaluation can be performed quickly and effectively.

Sincerely yours,

Tracell Stevenson.

Ilene A. Cassola, Chairperson Committee to Monitor Hazardous Waste and Sanitary Landfill Conditions

IAC:me

cc: Mayor Edward D. DiPrete
Council President Michael A. Traficante

Destate peincit montaine.

2 Leadrate collection system, in place

manifests exit Site in 30 5 busing dump 70's accepted liquid wostes Chamical fires EPA photo essor 74 PCB study - Dan's - Mouitoring wells - cover pot DEM began actions to stop accepting liquid wastes / Consent Agreement "Surface leachate collection seep controls No. 1 esthetics problem / Cadrate - Capping of site by 1984 Pourturet. - No ground water flow I ou ground water divide No deinleing water wells Air monitoring needed!